



12805 E. 31st Street
 Tulsa, OK 74146
 Tel (918) 663-7580
 Fax (918) 627-3049
www.thermalwindows.com

Thermal Windows, Inc. has determined that the products listed below are Eligible Building Envelope Components that qualify for the credit allowed by Internal Revenue Code, when installed as Exterior Windows in the primary residence of the taxpayer.

The products listed below meet Energy Star criteria for the South-Central climate zone, which includes most of Oklahoma, as shown on the map on page 2. The criteria requires a U-factor of 0.35 or lower and SHGC of 0.30 or lower per NFRC 100/200/500 testing.

Series	Description	Exceptions
6600, 6603, 6640 and 6643 Single Hung Vinyl Windows	Dual Glazed, with Ti-LoE, Argon gas and Superspacer	
6800 and 6840 Double Hung Vinyl Windows	Dual Glazed, with Ti-LoE, Argon gas and Superspacer	
6625 Single Horizontal Rolling Vinyl Windows	Dual Glazed, with Ti-LoE, Argon gas and Superspacer	
6630 "XOX" Horizontal Rolling Vinyl Windows	Dual Glazed, with Ti-LoE, Argon gas and Superspacer	
6825 Double Horizontal Rolling Vinyl Windows	Dual Glazed, with Ti-LoE, Argon gas and Superspacer	
6850 and 6852 Vinyl Picture Windows (Also Series 6880, 6881, 6882, 6883, 6884 Vinyl Specialty Windows)	Dual Glazed, with Ti-LoE, Argon gas and Superspacer	Must have divided lites to meet SHGC requirement

As in all tax matters, consult your tax professional for details and guidance.

Thermal Windows, Inc., its employees and agents assume no liability regarding the homeowner's ability to obtain tax credits.

ENERGY STAR® Qualification Criteria for Residential Windows, Doors, and Skylights


Climate Zone	Windows		
	U-Factor ¹	SHGC ²	
Northern	≤ 0.30	Any	Prescriptive
	≤ 0.31	≥ 0.35	Equivalent Energy Performance
	≤ 0.32	≥ 0.40	
North-Central	≤ 0.32	≤ 0.40	
South-Central	≤ 0.35	≤ 0.30	
Southern	≤ 0.60	≤ 0.27	

Glazing Level	Doors	
	U-Factor ¹	SHGC ²
Opaque	≤ 0.21	No Rating
≤ ½-Lite	≤ 0.27	≤ 0.30
> ½-Lite	≤ 0.32	≤ 0.30

Climate Zone	Skylights	
	U-Factor ¹	SHGC ²
Northern	≤ 0.55	Any
North-Central	≤ 0.55	≤ 0.40
South-Central	≤ 0.57	≤ 0.30
Southern	≤ 0.70	≤ 0.30

¹ Btu/h.ft².°F

² Fraction of incident solar radiation



The effective date of this version of the Program Requirements, Version 5.0, is January 4, 2010, and supersedes all previous versions.